MATERIAL SAFETY DATA SHEET



Komplek Industri Taman Tekno Blok H 2 No. 22 - BSD City

Tangerang – Banten 15314 Tlp: 021-758 76 888

Fax: 021-758 73 111

PRODUCT NAME: LAUNDRY STARCH

U.N Number: NA

DANGEROUS GOODS CLASS: NA

PHYSICAL DESCRIPTION / PROPERTIES:

White powder; SG: 1.5; pH: 5.0 - 7.0

HAZARDOUS INGREDIENTS;

CHEMICAL ENTITY: PROPORTION:

Corn Starch 50%

HEALTH HAZARD INFORMATION

HEALTH EFFECTS:

Ingestion: Components of the product may be absorbed into the body by ingestion. May cause irritation. Do not ingest.

Inhalation: Dust may irritate respiratory system. Inhalation of dusts may cause respiratory irritation. Prolonged inhalation may be harmful. Do not breathe dust.

Eyes: Eye contact may result in corneal injury. Contact may irritate or burn eyes. Do not get this material in contact with eyes.

Skin: Dust or powder may irritate the skin.

First Aid:

Ingestion: Rinse mouth thoroughly. If ingestion of a large amount does occur, call a poison control center immediately.

Inhalation: If dust from the material is inhaled, remove the affected person immediately to fresh air.

Skin: Wash off with warm water and soap.

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes.remove contact lenses.

LAUNDRY STARCH

PRECAUTIONS FOR USE

PERSONAL PROTECTIONS:

GOGGLES, GLOVES, RESPIRATOR WITH DUST FILTER

VENTILATION:

ADEQUATE VENTILATION IS EXPECTED TO BE SUFFICIENT.

FLAMMABILITY:

DUST-AIR MIXTURES MAY BE BE EXPLOSIVE. AVOID OPEN LIGHTS, FLAMES, OR WELDING IN AREAS OF DRY PRODUCT.

EXPOSURE LIMITS:

TWA : 10 (MG/M3)

SAFE HANDLING INFORMATION

STORAGE AND TRANSPORT:

Keep away from heat. Keep away from sorces of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment material. Do not breathe dust. Keep away from incompatibles such as oxidizing agents

SPILL AND DISPOSAL:

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

FIRE / EXPLOSION HAZARD:

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

OTHER:

Keep container tightly closed. Keep container a cool, well-ventilated area. Do not store above 23C (73.4F)